

RESTRICTED USE PESTICIDE

Toxic to fish and aquatic organisms

For retail sale to and use only by certified applicators or persons under their direct supervision and only for the uses covered by the certified applicator's certification.

Fanfare® 2EC

Insecticide/Miticide EPA Reg. No. 66222-99

SUPPLEMENTAL LABELING

FOR USE ON TOMATOES

DIRECTIONS FOR USE

- It is a violation of Federal law to use this product in a manner inconsistent with all applicable directions, restrictions, and precautions found in the labeling of the federally registered product and its accompanying supplemental labeling.
- Follow all applicable directions, restrictions, and precautions, including statements pertaining to the worker Protections Standards, on the EPA-registered label.
- This label must be in the position of the user at the time of application.

TOMATOES (1)

PEST	DOSAGE		COMMENTS
	LB AI/A	FL OZ/A	
Aphids, Armyworms (including Beet	0.033-0.08	2.1-5.2	Ground application: Apply in water in a minimum of 15 gallons
Armyworm, Fall Armyworm, Southern			per acre.
Yellowstriped Armyworm), Bean Leaf			Air application: Apply in water in a minimum of 3 to 5 gallons
Beetle, Cabbageworms, Carmine			per acre.
Mite, Cloverworm, Corn Earworm,			
Corn Rootworm, Cucumber Beetle,			
Cutworms, Diamondback Moth,			
European Corn Borer, Flea Beetles,			
Flea Hoppers, Grasshoppers,			
Japanese Beetle (Adult),			
Leafhoppers, Loopers, Lygus spp.,			
Melonworms, Pea Weevil, Pea Leaf			
Weevil, Pickleworms, Plant Bugs,			
Rindworms, Salt Marsh Caterpillar,			
Sap Beetle, Seedpod Weevil,			
Squash Bugs, Stink Bug spp.,			
Tobacco Budworm, Tarnished Plant			
Bug, Thrips, Two Spotted Spider			
Mite, Whitefly			

- To maintain a proper spray interval, do not make applications less than 10 days apart.
- Do not make more than 4 applications per season.