# Product Bulletin



**Dow AgroSciences LLC** 

9330 Zionsville Road

Indianapolis, IN 46268-1054 USA

## **Accord® Concentrate**

EPA Reg. No. 62719-324 2(ee) Recommendation<sup>†</sup>

### For Control or Suppression of Bamboo

(For Distribution and Use Only in the State of South Carolina)

#### **ATTENTION**

- <sup>†</sup>This recommendation is permitted under FIFRA 2(ee) and has not been submitted to or approved by the EPA or state lead pesticide agency.
- It as a violation of Federal law to use this product in a manner inconsistent with its labeling.
- Read and follow all applicable directions for use, precautions and limitations on the product label attached to the container for Accord<sup>®</sup> Concentrate herbicide.

#### **Directions for Use**

Accord<sup>®</sup> Concentrate herbicide may be used on roadside rights-of-way in South Carolina for control or suppression of bamboo.

When applied as directed Accord Concentrate will control or partially control bamboo. Use the higher rate of application for dense stands and larger plants.

Mow or cut and allow bamboo to resprout to have sufficient foliage for the spray solution to cover the foliage completely. Optimum control or suppression is usually achieved when applications are made between August and October (prior to frost).

It is important to note that one application of Accord Concentrate + surfactant will not eradicate bamboo. Several mowing and spray applications are generally required for complete bamboo control to be achieved.

Apply the recommended rate (see below) plus a surfactant (typically 1/4-1/2% V/V) such as a non-ionic surfactant containing 80% or greater active ingredient. Use of this product without surfactant will result in reduced herbicide performance. Refer to the "Mixing and Application Instructions" section of the federal label and the surfactant manufacturer label for more information.

Where repeat applications are necessary, do not exceed 8.0 quarts per acre per year.

#### **Application Rates:**

, to be to a training to the second s		
Method of Application	Application Rate	Spray Volume (gal/acre)
Broadcast		
Ground	1.5 to 7.5 qt/acre	10 to 60
Spray-to-Wet		
Handgun	0.75 to 2%	spray-to-wet
Low Volume Directed Spray		
Handgun, Backpack	4% to 10%	spray to cover

<sup>®</sup>Trademark of Dow AgroSciences LLC R145-009

Issued: 11/13/07 Initial printing