

Intrepid[®] 2F

EPA Registration No. 62719-442

Section 18 Crisis Exemption for Control of Sugarcane Borer and Southwestern Corn Borer Larvae Infesting Grain Sorghum

(For Distribution and Use Only in the State of Louisiana)

ATTENTION

- **Section 18 Crisis Exemption:** This use is authorized under EPA crisis exemption pursuant to Section 18 of the Federal Insecticide Fungicide and Rodenticide Act as amended.
- It is a violation of Federal law to use this product in a manner inconsistent with its labeling.
- This labeling must be in the possession of the user at the time of application.
- All applicable directions, restrictions, and precautions on the registered product label for Intrepid[®] 2F insecticide are to be followed. Read the label affixed to the container for before applying.
- Use of Intrepid 2F according to this Section 18 labeling is subject to all use precautions and limitations imposed by the label affixed to the product container for Intrepid 2F.

Directions for Use

Ground Application: Apply Intrepid 2F in a minimum spray volume of 5 gallons per acre by conventional ground equipment when plants are small. Use higher carrier volumes to ensure thorough coverage as crop develops.

Aerial Application: Apply in a minimum spray volume of 5 gallons per acre in equipment that has been properly patterned and calibrated for environmental conditions at the site.

Spray Adjuvants: Select adjuvants that are recommended and registered for your specific use pattern and follow their use directions. Always add adjuvants last in the mixing process.

Pests	Rate (fl oz/acre)	Directions	Restrictions
southwestern corn borer sugarcane borer	4 - 6 (0.06 – 0.09 lb ai/acre)	Apply at first sign of egg hatch or when infestations reach locally defined threshold levels. Reapply at 10- to 14-day intervals under conditions of heavy infestation, continuous moth flights and rapid growth.	<ul style="list-style-type: none"> ▪ Do not apply more than 6 fl oz per acre per application or more than 36 fl oz per acre per season. ▪ Preharvest Interval: Do not harvest within 28 days of application. ▪ Re-Planting Interval: A 7-day re-planting interval is required for residues of methoxyfenozide.

Any adverse effects resulting from the use of Intrepid 2F under this specific exemption must be immediately reported to the Louisiana Department of Agriculture.

[®]Trademark of Dow AgroSciences LLC

R846-012

Accepted: 06/23/08

Initial printing.