Product Bulletin



Dow AgroSciences LLC

9330 Zionsville Road

Indianapolis, IN 46268-1054 USA

Radiant[®] SC EPA Reg. No. 62719-545

2(ee) Recommendation[†]

(For Distribution and Use Within Alabama, Arkansas, Florida, Georgia, Mississippi, New Mexico, North Carolina, Oklahoma, South Carolina, and Virginia)

Early Season Suppression of Thrips in Peanuts

ATTENTION

- [†] This recommendation is made as permitted under FIFRA Section 2(ee) and has not been submitted to or approved by the EPA.
- It is a violation of Federal law to use this product in a manner inconsistent with its labeling.
- Read the label affixed to container for Radiant[®] SC insecticide before applying. Carefully follow all precautionary statements and applicable use directions.
- Except as specified in this product bulletin, use of Radiant[®] SC is subject to all use precautions and limitations imposed by the label affixed to the container for Radiant[®] SC.

Directions for Use

Apply 1.5 to 3 fl oz of Radiant[®] SC per acre to provide early season suppression of thrips in peanuts. For heavier infestations, use a higher rate in the rate range.

Using Radiant[®] SC is not a replacement for insecticide seed treatments or in-furrow insecticide applications at planting. Early season, foliar applications of Radiant[®] SC to suppress thrips in peanuts should only be made to fields that have already received an insecticide seed treatment or in-furrow insecticide application for thrips control.

Use of an adjuvant may increase the level of thrips control.

R358-035 Issued: 02/22/16 Initial printing.

[®]Trademark of The Dow Chemical Company ("Dow") or an affiliated company of Dow