SUPPLEMENTAL LABEL



EPA Registration No. 279-3177

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Lawn Treatments: Apply Onyx[™] as a broadcast treatment. Use higher volumes up to 10 gallons of carrier per 1000 square feet to get uniform coverage when treating dense grass foliage. For low water volume usage, less than 2 gallons/1000 square feet, addition of a non-ionic or silicone based surfactant (0.25% v/v) is recommended.

Insect	Rate	Directions
Chinch Bug	0.07 - 0.30 fl. ozs. per 1000 square feet	Treatments can be made to control early to mid- season larvae (approximately August – February) as they feed on plant crowns. Treatments made to late- season larvae (approximately March, April) may only provide suppression.

RESTRICTIONS:

- -Do not apply when wind conditions favor downwind drift to nearby water bodies.
- -Do not apply when wind velocity exceeds 10 miles per hour.
- -Avoid application when wind gusts approach 10 mph.
- -Apply using nozzles that provide the largest droplet size compatible with adequate coverage.

KEEP OUT OF REACH OF CHILDREN WARNING

For First Aid and other Precautionary Statements, see label attached to container. All applicable directions, restrictions and other precautions on the EPA-registered label are to be followed.

NOTE: This label must be in the possession of the user at the time of pesticide application.