



SUPPLEMENTAL LABELING

LANDMASTER[®] BW

EPA Reg. No. 42750-62
AD 050404

KEEP OUT OF REACH OF CHILDREN

CAUTION

FOR CHEMICAL SPILL, LEAK, FIRE, OR EXPOSURE, CALL CHEMTREC (800) 424-9300

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in any manner inconsistent with its labeling. Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. For any requirements specific to your State or Tribe, consult the agency responsible for pesticide regulation.

This label must be in the possession of the user at the time of application.

NON-AGRICULTURAL USE REQUIREMENT

The requirement in this box apply to uses of this product that are NOT within the scope of the Worker Protection Standard for agricultural pesticides (40 CFR Part 170). The WPS applies when this product is used to produce agricultural plants on farms, forests, nurseries, or greenhouses.

Keep children, pets, and other unprotected persons out of treated areas until treated area is dry.

USE ON TURF

LANDMASTER[®] BW Used Alone and LANDMASTER[®] BW plus OUST

BERMUDAGRASS

Read and carefully observe the label claims, cautionary statements, and all information on the labels of both products used in these tank mixtures. Use according to the most restrictive label directions for each product in the mixture.

APPLICATIONS TO DORMANT BERMUDAGRASS:

Fine Turf (Highly Maintained Turf)

When applied as directed, this product will provide control or suppression of vines and many winter annual grasses and broadleaf weeds for effective release of dormant bermudagrass in highly maintained

turf. Treat only when turf is dormant and prior to spring greenup. For best results, treat winter annuals when plants are in an early growth stage but after most have germinated. Apply 2 to 4 pints of LANDMASTER® BW herbicide in 15 to 30 gallons of spray solution per acre. DO NOT apply tank mixtures of this product plus Oust in highly maintained turfgrass areas. See the "RECOMMENDED RATES AND WEEDS CONTROLLED" section for the correct rate selection.

Coarse Turf (Low Maintenance Turf)

When applied as directed, this product will provide control or suppression of several grasses, broadleaf weeds, and vines for release of actively growing bermudagrass.

Apply 2 to 4 pints of this product in 15 to 30 gallons of spray solution per acre. A tank mixture of LANDMASTER® BW herbicide plus Oust may be used to provide control or suppression of certain weeds. For this tank mixture, apply 2 to 4 pints of this product plus 0.25 to 1 ounce of Oust per acre. See the 'RECOMMENDED RATES AND WEEDS CONTROLLED' section for the correct rate selection.

APPLICATIONS TO ACTIVELY GROWING BERMUDAGRASS:

For spring and summer applications to bermudagrass, apply 2 to 4 pints of this product in 15 to 30 gallons of spray solution per acre. A tank mixture of LANDMASTER® BW herbicide plus Oust may be used to provide control or suppression of certain weeds. For this tank mixture, apply 2 to 4 pints of this product plus 0.25 to 1 ounce of Oust per acre. Use only in areas where bermudagrass is a desirable groundcover and where some temporary discoloration can be tolerated. See the 'RECOMMENDED RATES AND WEEDS CONTROLLED' section for the correct rate selection.

BAHIAGRASS

APPLICATIONS TO DORMANT BAHAGRASS:

When applied as directed, this product will provide control or suppression of vines and winter annual weeds for release of dormant bahiagrass. For best results on winter annuals, treat when plants are in an early growth stage but after most plants have germinated. To avoid delays in greenup and to minimize injury, treat when bahiagrass is dormant.

Apply 2 to 4 pints of LANDMASTER® BW herbicide in 15 to 30 gallons of spray solution per acre. A tank mixture of LANDMASTER® BW herbicide plus Oust may be used to provide control or suppression of certain weeds. For this tank mixture, apply 2 to 4 pints of this product plus 0.25 to 0.5 ounce of Oust per acre. See the 'RECOMMENDED RATES AND WEEDS CONTROLLED' section for the correct rate selection.

APPLICATIONS TO ACTIVELY-GROWING BAHAGRASS:

When applied as directed, this product will provide control or suppression of several grasses, broadleaf weeds, and vines for release of bahiagrass.

Apply 1.5 to 2 pints of LANDMASTER® BW herbicide in 15 to 30 gallons of spray solution per acre. A tank mixture of LANDMASTER® BW herbicide plus Oust may be used to provide control or suppression of certain weeds. For this tank mixture, apply 1.5 to 2 pints of this product plus 0.25 ounce of Oust per acre. See the 'RECOMMENDED RATES AND WEEDS CONTROLLED' section for the correct rate selection.

TALL FESCUE

SPRING APPLICATIONS:

When applied as directed, this product will provide control or suppression of vines and many winter annual weeds in tall fescue. For best results on winter annuals, treat when plants are in an early growth stage but after most have germinated. To minimize tall fescue injury, apply this product when tall fescue is 4 to 6 inches tall but prior to seedhead emergence.

Apply 2 to 3 pints of LANDMASTER® BW herbicide in 15 to 30 gallons of spray solution per acre. A tank mixture of LANDMASTER® BW herbicide plus Oust may be used to provide control of certain weeds. For

this tank mixture, apply 2 pints of this product plus 0.25 ounce of Oust per acre. See the 'RECOMMENDED RATES AND WEEDS CONTROLLED' section for the correct rate selection.

SUMMER APPLICATIONS:

When applied as directed, this product will provide control or suppression of several grasses, broadleaf weeds, and vines in tall fescue.

Apply 2 to 3 pints of LANDMASTER® BW in 15 to 30 gallons of spray solution per acre. A tank mixture of LANDMASTER® BW herbicide plus Oust may be used to provide control of certain weeds. For this tank mixture, apply 2 to 3 pints of this product plus 0.25 to 0.5 ounce of Oust per acre. See the 'RECOMMENDED RATES AND WEEDS CONTROLLED' section for the correct selection

**WEEDS CONTROLLED OR SUPPRESSED
LANDMASTER® BW HERBICIDE ALONE**

Note: C=Control S=Suppression

ANNUAL WEED SPECIES	LANDMASTER® BW PINTS/ACRE			
	1.5	2	3	4
Barley, little <i>Hordeum pusillum</i>	S	S	C	C
Bedstraw, catchweed <i>Galium aparine</i>	S	S	C	C
Bluegrass, annual <i>Poa annua</i>	S	S	C	C
Chervil <i>Chaerophyllum tainturieri</i>	S	S	C	C
Chickweed, common <i>Stellaria media</i>	S	S	C	C
Clover, crimson <i>Trifolium incarnatum</i>	--	S	S	C
Clover, hop <i>Trifolium spp.</i>	--	S	C	C
Crabgrass <i>Digitaria spp.</i>	--	S	C	C
Foxtail <i>Setaria spp.</i>	--	S	C	C
Geranium, Carolina <i>Geranium carolinianum</i>	S	C	C	C
Henbit <i>Lamium amplexicaule</i>	S	C	C	C
Partridgepea <i>Cassia fasciculata</i>	--	S	C	C
Ragweed, common <i>Ambrosia artemisiifolia</i>	--	S	C	C
Speedwell, corn <i>Veronica arvensis</i>	S	S	C	C
Spurge, spotted <i>Euphorbia maculate</i>	--	S	C	C
Vervain, blue <i>Verbena hastata</i>	--	S	C	C
Vetch <i>Vicia spp.</i>	--	S	C	C

BIENNIAL WEED SPECIES	LANDMASTER BW PINTS/ACRE
-----------------------	--------------------------

	1.5	2	3	4
Carrot, wild <i>Daucus carota</i>	--	--	S	C

PERENNIAL WEED SPECIES	LANDMASTER® BW PINTS/ACRE			
	1.5	2	3	4
Bahiagrass <i>Paspalum notatum</i>	S	S	S	S
Bindweed, field <i>Convolvulus arvensis</i>	--	--	--	S
Dock, curly <i>Rumex crispus</i>	--	S	C	C
Fescue, tall <i>Festuca arundinacea</i>	S	S	S	S
Greenbriar <i>Smilax spp.</i>	--	--	--	S
Honeysuckle <i>Lonicera spp.</i>	--	S	S	C
Horsenettle <i>Solanum carolinense</i>	--	--	S	S
Johnsongrass <i>Sorghum halepense</i>	--	S	S	C
Peppervine <i>Ampelopsis arborea</i>	--	S	C	C
Plaintain, buckhorn <i>Plantago lanceolata</i>	S	S	C	C
Raspberry <i>Rubus spp.</i>	--	--	--	S
Ryegrass <i>Lolium spp.</i>	--	--	--	S
Trumpetcreeper <i>Campsis radicans</i>	--	--	--	S
Vaseygrass <i>Paspalum urvillei</i>	--	S	C	C

**WEEDS CONTROLLED OR SUPPRESSED
LANDMASTER® BW plus OUST**

Note: C=Control S=Suppression

ANNUAL WEED SPECIES	LANDMASTER® BW (PINTS/ACRE) + OUST (OZ/ACRE)						
	1.5	2	3	3	4	4	4
	+ 1/4	+ 1/4	+ 1/4	+ 1/2	+ 1/4	+ 1/2	+ 1
Barley, little <i>Hordeum pusillum</i>	C	C	C	C	C	C	C
Bedstraw, catchweed <i>Galium aparine</i>	C	C	C	C	C	C	C
Bluegrass, annual <i>Poa annua</i>	S	S	C	C	C	C	C
Chervil <i>Chaerophyllum tainturieri</i>	C	C	C	C	C	C	C
Chickweed, common <i>Stellaria media</i>	S	S	C	C	C	C	C

Clover, crimson <i>Trifolium incarnatum</i>	S	S	S	C	C	C	C
Clover, hop <i>Trifolium spp.</i>	--	S	C	C	C	C	C
Crabgrass <i>Digitaria spp.</i>	--	S	C	C	C	C	C
Foxtail <i>Setaria spp.</i>	--	S	C	C	C	C	C
Geranium, Carolina <i>Geranium carolinianum</i>	S	C	C	C	C	C	C
Henbit <i>Lamium amplexicaule</i>	S	C	C	C	C	C	C
Partridgepea <i>Cassia fasciculata</i>	--	S	C	C	C	C	C
Ragweed, common <i>Ambrosia artemisiifolia</i>	--	S	C	C	C	C	C
Speedwell, corn <i>Veronica arvensis</i>	S	S	C	C	C	C	C
Spurge, spotted <i>Euphorbia maculate</i>	--	S	C	C	C	C	C
Vervain, blue <i>Verbena hastate</i>	--	S	C	C	C	C	C
Vetch <i>Vicia spp.</i>	--	S	C	C	C	C	C

BIENNIAL WEED SPECIES	LANDMASTER® BW (PINTS/ACRE) +						
	OUST (OZ/ACRE)						
	1.5 +	2 +	3 +	3 +	4 +	4 +	4 +
	1/4	1/4	1/4	1/2	1/4	1/2	1
Carrot, wild <i>Daucus carota</i>	--	--	S	S	C	C	C

PERENNIAL WEED SPECIES	LANDMASTER® BW (PINTS/ACRE) +						
	OUST (OZ/ACRE)						
	1.5 +	2 +	3 +	3 +	4 +	4 +	4 +
	1/4	1/4	1/4	1/2	1/4	1/2	1
Bahiagrass <i>Paspalum notatum</i>	S	S	S	S	S	S	S
Dock, curly <i>Rumex crispus</i>	--	S	C	C	C	C	C
Fescue, tall <i>Festuca arundinacea</i>	S	S	S	S	S	S	S
Greenbriar <i>Smilax spp.</i>	--	--	--	--	S	S	S
Honeysuckle <i>Lonicera spp.</i>	--	S	C	C	C	C	C
Horsenettle <i>Solanum carolinense</i>	--	--	S	S	S	S	S
Johnsongrass <i>Sorghum halepense</i>	--	S	S	S	C	C	C
Peppervine <i>Ampelopsis arborea</i>	--	S	C	C	C	C	C

Plaintain, buckhorn <i>Plantago lanceolata</i>	S	S	C	C	C	C	C
Raspberry <i>Rubus spp.</i>	--	--	--	--	S	S	S
Ryegrass, Italian <i>Lolium spp.</i>	--	--	S	S	C	C	C
Trumpetcreeper <i>Campsis radicans</i>	--	S	C	C	C	C	C
Vaseygrass <i>Paspalum urvillei</i>	--	S	C	C	C	C	C

Read the "CONDITIONS OF SALE AND WARRANTY" in the label booklet for Landmaster® BW before using this product. These terms apply to this supplemental labeling and if those terms are not acceptable, return the product unopened at once.

Albaugh, Inc.
121 NE 18th Street
Ankeny, IA 50021