# Product Bulletin



**Dow AgroSciences LLC** 

9330 Zionsville Road

Indianapolis, IN 46268-1054 USA

# Delegate® WG

EPA Reg. No. 62719-541 (For Distribution and Use Only in the State of Texas)

Group	5	INSECTICIDE

## **Control of Spotted Wing Drosophila on Various Crops**

### **ATTENTION**

- <sup>†</sup>This recommendation is made as permitted under FIFRA Section 2(ee) and has not been submitted to or approved by EPA.
- It is a violation of federal law to use this product in a manner inconsistent with its labeling.
- Read the label affixed to the container for Delegate<sup>®</sup> WG insecticide before applying. Carefully follow all precautionary statements and applicable use directions except as specified below.
- Use of Delegate WG according to this Section 2(ee) recommendation is subject to all use precautions and limitations imposed by the label affixed to the container for Delegate WG.

### **Directions for Use**

Refer to product label for Delegate WG for General Use Precautions, Mixing Directions and Application Directions.

Delegate WG can be used as part of an integrated program to manage spotted wing drosophila. The use of Delegate to manage spotted winged Drosophila is limited to ground application equipment. Do not apply by air.

Apply Delegate WG to the following crops for control of spotted wing drosophila. Use a higher rate in the rate range for moderate to severe infestations and/or larger plant volume. Begin applications at first signs of adult activity. Due to the occurrence of multiple generations in a growing season, repeated applications may be required. Do not make more than 6 applications per acre per calendar year to bushberries (Subgroup 13B) or caneberries (Subgroup 13A). Do not make more than 5 applications per acre per calendar year to grape. Do not make more than 4 applications per acre per calendar year to pome fruit (Crop Group 11) or stone fruit (Crop Group 12).

**Resistance Management Recommendations:** Do not make more than 2 consecutive applications of Group 5 insecticides (spinosad and spinetoram). If additional applications are required, rotate to an effective product in a different group for at least 2 applications. Follow all other resistance management recommendations on the product label.

Consult your Dow AgroSciences representative, extension service specialist, certified crop advisor or your state agricultural experiment station for any additional local use recommendations for your area. Refer to specific crop sections of the product label for additional information and restrictions.

Crop	Delegate WG (oz/acre)
bushberries (subgroup 13B) caneberries (subgroup 13A)	3 - 6
grape	3 - 5
pome fruits (crop group 11)	4.5 – 7

stone fruits (crop group 12)	

<sup>®</sup>Trademark of The Dow Chemical Company ("Dow") or an affiliated company of Dow

R359-025 Issued: 12/12/12 Replaces R359-023