

FIFRA § 24(c) REGISTRATION EPA SLN No.: CA-930023

REGISTRATION FOR SPECIAL LOCAL NEED FOR DISTRIBUTION AND USE ONLY WITHIN CALIFORNIA

BOTRAN® 75W BOTRAN® 75WSB

Fun**gicide**

Fun**gicide**

EPA Reg. No. 10163-189

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

All applicable directions, restrictions and precautions on the EPA-registered label are to be followed.

This labeling must be in the possession of the user at the time of pesticide application.

CROP

Fennel (Sweet Anise)

PEST CONTROLLED

Sclerotinia sclerotiorum (white mold)

USE RATE and METHOD OF APPLICATION

Use 2 lbs. per 100 gals. of water if early disease develops. Begin application when disease is anticipated, or approximately 10 weeks before harvest and repeat at 7 day intervals in summer or 14 day intervals in fall and winter. Make applications using ground equipment. Use a sprayer with drop nozzle boom to direct spray to base of plants and adjacent soil.

OR

Use $5^{1}/_{3}$ lbs. per 100 gals. of water if early disease is not likely. Make a single application per acre 4-8 weeks before harvest using ground equipment. Use a sprayer with drop nozzle boom to direct spray to base of plants and adjacent soil.

RESTRICTIONS

Do not apply within 7 days of harvest.

Do not reenter treated areas without personal protective equipment for 12 hours.

Do not apply this product through any type of irrigation system.

BOTRAN® is a registered trademark of Gowan Company