



FIFRA 24(c) REGISTRATION  
EPA SLN NO. CA-950011

FOR DISTRIBUTION AND USE ONLY WITHIN THE STATE OF CALIFORNIA

**BOTRAN<sup>®</sup> 75W**  
Fungicide

**BOTRAN<sup>®</sup> 75WSB**  
Fungicide

EPA Reg. No. 10163-189

#### DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

All applicable directions, restrictions, and precautions on the EPA-registered label are to be followed.

This labeling must be in the possession of the user at the time of pesticide application.

#### CROP

Container, bareroot, and greenhouse grown conifer nursery stock (conifer seedlings of Douglas fir, Hemlock, Noble fir, Sitka spruce, Western red cedar and redwood)

#### DISEASE CONTROLLED

Blight (*Botrytis*)

#### USE RATE and METHOD OF APPLICATION

Use 1.3 lbs. per 100 gals. of water as a foliar spray. Begin treatment when disease is first anticipated or first appears. Spray foliage until thoroughly wet. Repeat treatment at 10-14 day intervals. Rate may be increased to 2.6 lbs. to control especially heavy *Botrytis* outbreaks. Alternating Botran with other fungicides registered for use on these sites may be done in order to minimize buildup of tolerance of *Botrytis* to any one fungicide.

NOTE: It is important to read and observe the precautionary statements and all other information appearing on the label. Use only as directed. Observe all cautions and limitations on labeling of all products if used in tank mixtures.

#### 24(c) REGISTRANT

Gowan Company

Botran<sup>®</sup> is a registered trademark of Gowan Company