

# SUPPLEMENTAL LABELING

# Onager<sup>®</sup>

Miticide



## EMULSIFIABLE CONCENTRATE FOR AGRICULTURAL USE ONLY

<b>ACTIVE INGREDIENT:</b> Hexythiazox	<b>% By Wt.</b>
<i>trans</i> -5-(4-Chlorophenyl)-N-cyclohexyl-4-methyl-2-oxothiazolidine-3-carboxamide .....	11.8%
<b>OTHER INGREDIENTS</b> .....	<b>88.2%</b>
	<b>TOTAL 100.00%</b>

Onager 1E contains 1 lb. active ingredient per gallon

## KEEP OUT OF REACH OF CHILDREN CAUTION

### GENERAL INFORMATION

Onager controls mites through its activity on eggs and immature stages. Onager does not kill adult mites although treated females will fail to lay viable eggs while in contact with treated foliage. Onager is not systemic and thorough coverage of leaf surfaces is necessary for effective control. Use higher rates on moderate to high mite infestations, dense foliage, or for extended residual control.

### DIRECTIONS FOR USE

- It is a violation of Federal law to use this product in a manner inconsistent with its labeling.
- All applicable restrictions, precautions, worker protection standard requirements, and directions for use on the EPA label must be followed.
- This labeling should be in the possession of the user at the time of pesticide application.

CROP	PEST	RATE Oz./acre	COMMENTS
<b>Potatoes</b> (Oregon, Washington, and Idaho only)	Twospotted Spider Mites	16 - 24	For air applications, apply a minimum of 5 gallons finished spray per acre.
	<ul style="list-style-type: none"> <li>• Do not apply within 21 days of harvest.</li> <li>• For use only in Oregon, Washington and Idaho.</li> <li>• Do not graze or feed livestock on cover crops growing in treated areas.</li> <li>• Do not use water from treated fields for irrigating other crops.</li> <li>• Onager is an emulsifiable concentrate to be diluted with water for application in commercial plantings only.</li> <li>• Apply Onager prior to adult mite build up. Onager will not control adult spider mites. Use higher rates on moderate to high mite infestations or for larger plants with a dense canopy. If adult mites are present in medium to high populations, better results may be obtained using Onager in combination with a registered contact adulticide. The use of less than label rates is not recommended with Onager.</li> <li>• Do not make more than one application of Onager per year.</li> <li>• Do not plant rotational crops other than those on the section 3 label within 120 days of this application.</li> </ul>		

EPA Reg. No. 10163-277  
EPA Est. No. 67545-AZ-1

**Gowan**  
The Go To Company

Produced For:  
Gowan Company  
P. O. Box 5569  
Yuma, AZ 85366-5569

EPA Text: EPA approved 12-11-09