

---

## PRODUCT INFORMATION

---



**Syngenta Crop Protection, Inc.**  
Greensboro, NC 27409  
[www.syngenta-us.com](http://www.syngenta-us.com)

### **SUPPLEMENTAL LABEL FOR DYNASTY™ FOR FIELD CORN, SWEET CORN, AND POP CORN**

#### **FUNGICIDE**

**EPA Reg. No. 100-1159**

Broad-spectrum seed treatment fungicide for control of seed and seed borne diseases.

Active Ingredient :	
Azoxystrobin: CAS No. 131860-33-8 .....	9.6%
Other Ingredients:	90.4%
Total:	100.0%

Contains 0.83 pounds of active ingredient per gallon.

**KEEP OUT OF REACH OF CHILDREN.**

#### **CAUTION**

**All applicable directions, restrictions and precautions on the EPA-registered label are to be followed.**

**This labeling must be in the possession of the user at the time of pesticide application.**

**Reformulation is prohibited. See individual container labels for repackaging limitations.**

SCP 1159A-S1 0304

## MIXING INSTRUCTIONS

Apply Dynasty as a water-based slurry using seed treatment application equipment that will provide uniform coverage on the seed surface. Consult the manufacturer of the application equipment being used for calibration and operation procedures.

Dynasty mixes easily with water and other water based seed treatments manufactured by Syngenta. When mixing with products from other manufacturers the compatibility should be tested prior to use by conducting a jar test; mixing all intended seed treatments with the appropriate amount of water in a clear glass container mix well and allow to sit for one hour, remix and observe for incompatibility.

Mixing Dynasty With Tank-Mix Partners: Add ½ of the required water to the mix tank and turn on the agitation. Mechanical agitation is preferred. If using wettable powders and/or products in water-soluble pouches, add them first to clean water allowing them to completely disperse prior adding Dynasty or other products. Allow each tank-mix partner to completely disperse before adding the next product. Add the remaining amount of water and agitate. Maintain agitation until the entire slurry mixture has been used. Allow seed to dry prior to bagging.

**Note:** Federal law requires that bags of treated seeds shall be labeled with the following information. "This seed has been treated with azoxystrobin fungicide. Do not use for food, feed or oil purposes. Store away from food and feedstuffs." Use with an EPA-approved dye that imparts an unnatural color to the seed.

## DIRECTIONS FOR USE

Crop	Target Diseases	Use Rate: fl. oz. per 80,000 kernel count unit	Use Rate: mg active ingredient per kernel	Remarks
<b>Corn</b> Field Pop Sweet (Includes Seed Production)	Seed-borne and soil-borne fungi causing decay, damping-off, and seedling blight  Seedling damping-off ( <i>Rhizoctonia</i> spp., <i>Penicillium</i> spp).	0.0688 fl. oz per unit	0.0025 mg active per kernel	For optimum disease control, use Dynasty in combination with labeled rates of Maxim®, Maxim XL, and Apron XL products. Observe all precautions, limitations, rates, and directions for use on the respective labels before applying.

Apron XL®, Maxim®, Maxim® XL and the Syngenta logo are trademarks of a Syngenta Group Company

©2004 Syngenta

Syngenta Crop Protection, Inc.  
Greensboro, North Carolina 27409  
[www.syngenta-us.com](http://www.syngenta-us.com)

SCP 1159A-S1 0304