SUPPLEMENTAL LABEL



Syngenta Crop Protection, Inc. Greensboro, NC 27409 www.syngenta-us.com

DYNASTY™ FUNGICIDE

Broad-spectrum seed treatment fungicide for control of seed and seed borne diseases

Active Ingredient:

Azoxystrobin: CAS No. 131860-33-8	9.6%
Other Ingredients:	90.4%
Total:	100.0%

Contains 0.83 pounds of active ingredient per gallon.

KEEP OUT OF REACH OF CHILDREN.

CAUTION

See additional precautionary statements and directions for use inside booklet.

EPA Reg. No. 100-1159

All applicable directions, restrictions and precautions on the EPA-registered label are to be followed.

Before using Dynasty as permitted according to this supplemental label, read and follow all applicable directions, restrictions, and precautions on the EPA registered label on or attached to the pesticide product container. This Supplemental Labeling contains revised use instructions and or restrictions that may be different from those that appear on the container label. This Supplemental Labeling must be in the possession of the user at the time of pesticide application. It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

DIRECTIONS FOR USE

Crop	Target Diseases	Use Rate fl. oz. product/ 100 lbs. seed	Remarks
Brassica Leafy Greens subgroup Broccoli raab Cabbage, Chinese Collards Kale Mizuna Mustard greens Mustard spinach Rape greens	Seed-borne and soil-borne fungi causing decay, damping-off, and seedling blight Seedling damping-off (Rhizoctonia solani)	0.10-0.38	
Bulb Vegetables Garlic Leek Onion, bulb Onion, green Welch onion Shallot	Seed-borne and soil-borne fungi causing decay, damping-off, and seedling blight Seedling damping-off (Rhizoctonia solani)	0.10-0.38	
Cucurbits Cantaloupe Chayote Chinese waxgourd Cucumber Gourds Honeydew Melons Momordica spp. (bitter melon, balsam apple) Muskmelon Watermelon Pumpkin Squash Zucchini (Including cultivars and/or hybrids of these)	Seed-borne and soil-borne fungi causing decay, damping-off, and seedling blight Seedling damping-off (Rhizoctonia solani)	0.10-0.38	

Сгор	Target Diseases	Use Rate fl. oz. product/ 100 lbs. seed	Remarks
Leafy Vegetables Amaranth Arugula Cardoon Celery Celtuce Chervil Chrysanthemum, edible Coriander, leaves (Cilantro) Corn salad Cress Dandelion Dock Endive Fennel Lettuce, head and leaf Orach Parsley Purslane Radicchio Rhubarb Spinach Swiss Chard (Including cultivars and/or hybrids of these)	Seed-borne and soil-borne fungi causing decay, damping-off, and seedling blight Seedling damping-off (Rhizoctonia solani)	0.10-0.38	
Pepper Bell Pepper Non-Bell Pepper Sweet Non-Bell Pepper Eggplant Okra	Seed-borne and soil-borne fungi causing decay, damping-off, and seedling blight Seedling damping-off (Rhizoctonia solani)	0.10-0.38	
Tomatoes	Seed-borne and soil-borne fungi causing decay, damping-off, and seedling blight Seedling damping-off (Rhizoctonia solani)	0.10-0.38	

Crop	Target Diseases	Use Rate fl. oz. product/ 100 lbs. seed	Remarks
Vegetables, leaves of root and tuber group Beet, garden and sugar Burdock Carrot Cassava, bitter and sweet Celeriac (celery root) Chervil, turnip-rooted Chicory Dasheen (taro) Parsnip Radish Radish, oriental (daikon) Rutabaga Salsify, black Sweet potato Tanier Turnip Yam, true	Seed-borne and soil-borne fungi causing decay, damping-off, and seedling blight Seedling damping-off (Rhizoctonia solani)	0.10-0.38	
Vegetables, root subgroup Beet, garden and sugar Burdock Carrot Celeriac Chervil, turnip-rooted Chicory Ginseng Horseradish Parsley, turnip-rooted Parsnip Radish Radish, oriental Rutabaga Salsify Salsify, black Salsify, Spanish Skirret Turnip	Seed-borne and soil-borne fungi causing decay, damping-off, and seedling blight Seedling damping-off (Rhizoctonia solani)	0.10-0.38	

Dynasty[™] and the Syngenta logo are trademarks of a Syngenta Group Company

©2006 Syngenta

Syngenta Crop Protection, Inc. Greensboro, North Carolina 27409 www.syngenta-us.com

Dynasty 1159A S2 0304 - pd - 02/02/06