## SUPPLEMENTAL LABEL



Syngenta Crop Protection, Inc. Greensboro, NC 27409 www.syngenta-us.com

## TOUCHDOWN HITECH® HERBICIDE – GLYPHOSATE-TOLERANT CORN (INCLUDING AGRISURE™ GT AND ROUNDUP READY® CORN)

Active Ingredient:

\*Glyphosate: N-(phosphonomethyl) glycine, in the form of the

monopotassium salt	52.3%
Other Ingredients:	47.7%
Total:	100.0%

<sup>\*</sup>Contains 5 pounds per U.S. gallon of glyphosate acid equivalents.

EPA Reg. No. 100-1182

## KEEP OUT OF REACH OF CHILDREN.

#### CAUTION

All applicable directions, restrictions and precautions on the EPA-registered label are to be followed.

Before using Touchdown HiTech as permitted according to this supplemental label, read and follow all applicable directions, restrictions, and precautions on the EPA registered label on or attached to the pesticide product container. This Supplemental Labeling contains revised use instructions and or restrictions that may be different from those that appear on the container label. This Supplemental Labeling supersedes the Directions for Use on the container label, including Use Precautions. This Supplemental Labeling must be in the possession of the user at the time of pesticide application. It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

SCP 1182-S4 0905

## **DIRECTIONS FOR USE**

# CORN, GLYPHOSATE-TOLERANT (INCLUDING AGRISURE GT AND ROUNDUP READY CORN)

**Method of Application:** Before, during, or after planting; and postemergence in corn varieties which have been genetically modified to be tolerant to glyphosate based herbicides.

Follow directions listed in the **Application and Mixing Directions**, **Spray Additives**, and **Application Equipment and Techniques** sections. Refer to **Weeds Controlled** section for application rates and timing.

### **General Use Precautions for Glyphosate-Tolerant Corn**

- A nonionic surfactant (NIS) or wetting agent (approved for intended use) must be added at 0.25% v/v (1 quart NIS or wetting agent/100 gallons) of finished spray volume. Control of weeds may also be improved by adding dry ammonium sulfate at 1-2% by weight or 8.5-17 lbs./100 gals. of water.
- Applications of Touchdown HiTech to corn hybrids which are not glyphosate tolerant will result in severe crop injury and reduced yields.
- Maximum preplant/preemergence rate is 3 qts./A.
- Maximum amount of Touchdown HiTech which may be applied from all applications is 4.8 gts./A.
- Maximum amount of Touchdown HiTech applied over-the-top of the crop from all applications is 1.8 qts./A.
- Make postemergence applications from emergence through the V8 stage or until corn reaches 30 inches in height, whichever comes first, with no more than 30 fl. oz./A for any single application. Applications of Touchdown HiTech at a maximum rate of 30 fl. oz./A may be made to corn 30-48 inches in height using ground equipment and drop nozzles only.
- Avoid application of spray into whorls of corn plants.
- Allow a minimum of 50 days between postemergence application and harvest of forage.
- Make preharvest applications at least 7 days before harvest with no more than 20 fl. oz./A.

**Postemergence - Annual Weeds:** Touchdown HiTech will control annual broadleaf weeds and grasses when applied as directed. Apply Touchdown HiTech at a minimum of 20 fl. oz./A from emergence through the V8 stage (8 leaves with collars) or until the corn height reaches 30 inches, whichever comes first. When corn height is from 30-48 inches drop nozzles are required. Refer to Table 1 for specific rate information. Touchdown HiTech alone will not provide residual control. To control new weed flushes, repeat applications may be required.

Touchdown HiTech®, Agrisure™, and the Syngenta logo trademarks of a Syngenta Group Company

Roundup Ready® trademark of Monsanto

©2006 Syngenta

Syngenta Crop Protection, Inc. Greensboro, North Carolina 27409 www.syngenta-us.com

TOUCHDOWN HITECH 1182 S4 0905 - pd - 05/24/06