FIFRA

Section 2(ee) Recommendation

Date: March 19, 2007

Product: Champ® Dry Prill

EPA Reg. No. 55146-57

Use: Suppression of Citrus Canker in the State of Florida

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

CROP	RATE PER ACRE	USE INSTRUCTIONS
Citrus	1.25 to 2.5 pounds	Begin applications to protect new leaf flushes. Repeat at 14 to 21 day intervals, or more often if needed, depending on disease pressure and environmental conditions. It is important to protect all subsequent leaf flushes throughout the year. Young fruit may require an additional application.
		Under dry weather conditions and low disease pressure, use 1.25 to 2.5 pounds per acre.
		Under conditions of wet weather and high disease pressure higher rates may be required (4 to 8 pounds per acre).

NOTE:

- The user must refer to the Federally approved Champ Dry Prill label and read and follow all directions for use, restrictions, and precautions.
- This recommendation should be in the possession of the user at the time of pesticide application.
- This recommendation is made as permitted by Section 2(ee) of FIFRA, as amended, and has not been submitted to or approved by the EPA.
- Do not use this product on citrus seedlings grown in greenhouses or shadehouses.

Nufarm Americas Inc. AGT Division Burr Ridge, IL 60527

Champ is a registered trademark of Nufarm Americas Inc.

Nufarm

RV031907