

Sim-Trol® 4L Simazine Flowable Herbicide

SAFETY DATA SHEET

OSHA HCS (29 CFR 1910.1200)

SECTION 1: PRODUCT AND COMPANY IDENTIFICATION

Product identifier

Chemical Name

Trade Names

CAS No.

EPA Identification Number

Mixture

Sim-Trol® 4L Simazine Flowable Herbicide

Mixture

EPA Reg. No. 35915-11-60063

Relevant identified uses of the substance or mixture and uses advised against

Identified Use(s)

Herbicide

Uses Advised Against

Do **NOT** aerosolize or atomize to produce inhalable-size particles.

Details of the supplier of the safety data sheet

Company Identification

Sipcam Agro USA, Inc.

2525 Meridian Parkway, Suite 350

Durham, NC 27713

United States of America

Telephone

(919) 226-1195

Emergency telephone number

Emergency Phone No.

CHEMTREC 24 hr. 1-800-424-9300 / 1 (703) 527-3887

(Collect calls accepted)

SECTION 2: HAZARDS IDENTIFICATION

Classification of the substance or mixture

OSHA HCS (29 CFR 1910.1200)

Skin Irrit. 2; Eye Irrit. 2A; STOT SE 1; STOT RE 1; Repr. 1B

Label elements

This chemical is a pesticide product registered by the United States Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets (SDS) and for workplace labels of non pesticide chemicals. The labeling information below applies to non-pesticide workplace labels. For pesticide label information, refer to Section 15.

Hazard Symbol(s)



Signal Word(s)

DANGER

Hazard Statement(s)

Causes serious eye irritation.

Causes skin irritation.

Causes damage to organs: Neuroendocrine system.

Causes damage to organs through prolonged or repeated exposure: Neuroendocrine system.

May damage fertility or the unborn child.

Sim-Trol® 4L Simazine Flowable Herbicide

Precautionary Statement(s)

Obtain special instructions before use.

Do not handle until all safety precautions have been read and understood.

Do not breathe mist/vapours/spray.

Wear protective gloves/protective clothing/eye protection/face protection.

Use of high-pressure spray may cause toxic aerosols. Use only outdoors or in a well-ventilated area.

In case of inadequate ventilation wear respiratory protection.

Wash hands and exposed skin after use.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists, get medical advice/attention.

IF ON SKIN: Wash with plenty of soap and water. If skin irritation or rash occurs: Get medical advice/attention.

IF INHALED: Remove person to fresh air and keep comfortable for breathing. Get medical advice/attention if you feel unwell.

IF SWALLOWED: Not normally required. Call a POISON CENTER or doctor/physician if you feel unwell. Treat symptomatically.

Other hazards

Very toxic to aquatic life. Very toxic to aquatic life with long lasting effects.

Additional Information

None

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

Composition/information on ingredients	%W/W	CAS No.	Hazard Statement(s)
Simazine	42.8	122-34-9	Skin Irrit. 2; H315 Eye Irrit. 2A; H319 STOT SE 1; H370 STOT RE 1; H372 Repr. 1B; H360 Aquatic Acute 1; H400 Aquatic Chronic 1; H410
Ethylene glycol	<5	107-21-1	Acute Tox. 4; H302 STOT RE 2; H373

Additional Information – None

SECTION 4: FIRST AID MEASURES



Description of first aid measures

Inhalation

Remove person to fresh air and keep comfortable for breathing. Get medical advice/attention if you feel unwell. Treat symptomatically.

Skin Contact

Wash with plenty of soap and water. If skin irritation or rash occurs: Get medical advice/attention. Take off contaminated clothing and wash it before reuse.

Eye Contact

Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists, get medical advice/attention.

Sim-Trol® 4L Simazine Flowable Herbicide

Ingestion

Call a POISON CENTER or doctor/physician if you feel unwell. Treat symptomatically.

Most important symptoms and effects, both acute and delayed

Causes serious eye irritation. May damage fertility or the unborn child.

Indication of any immediate medical attention and special treatment needed

Call a POISON CENTER or doctor/physician if you feel unwell.

SECTION 5: FIRE-FIGHTING MEASURES

Extinguishing Media

- Suitable Extinguishing Media
- Unsuitable Extinguishing Media

Non-combustible. As appropriate for surrounding fire.
Do not use water jet.

Special hazards arising from the substance or mixture

Combustion or thermal decomposition will evolve toxic and irritant vapours. Forms oxides of carbon and nitrogen, also chlorine and chlorinated compounds. Decontaminate equipment or materials used in pesticide fires.

Advice for fire-fighters

Fire fighters should wear complete protective clothing including self-contained breathing apparatus.

SECTION 6: ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Do not get in eyes. Avoid contact with skin. Do not breathe mist/vapours/spray. Wear protective gloves/protective clothing/eye protection/face protection.

Environmental precautions

Prevent substance entering sewers.

Methods and material for containment and cleaning up

Cover spills with inert absorbent material. Transfer to a container for disposal or recovery. Collect spillage. Wash the spillage area with water. If possible prevent water running into sewers.

Reference to other sections Additional Information

None
None

SECTION 7: HANDLING AND STORAGE

Precautions for safe handling

Do not handle until all safety precautions have been read and understood. Do not get in eyes. Avoid contact with skin. Do not breathe mist/vapours/spray. Wear protective gloves/protective clothing/eye protection/face protection. Use only outdoors or in a well-ventilated area. In case of inadequate ventilation wear respiratory protection.

Conditions for safe storage, including any incompatibilities

- Storage temperature
- Incompatible materials

Store in a well-ventilated place. Keep cool. Keep container tightly closed. Store locked up.
Strong oxidizing agents. Strong acids / bases.

Specific end use(s)

Herbicide

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Occupational Exposure Limits

Sim-Trol® 4L Simazine Flowable Herbicide

SUBSTANCE.	CAS No.	(8hr TWA)		(STEL)		Note:
		PEL (OSHA)	TLV (ACGIH)	PEL (OSHA)	TLV (ACGIH)	
None	-----	-----	-----	-----	-----	-----

Exposure controls

Appropriate engineering controls

Do **NOT** aerosolize or atomize to produce inhalable-size particles.
Use low-pressure coarse spray only.

Personal protection equipment

Eye/face protection

Wear protective eyewear (goggles, face shield, or safety glasses).



Skin protection (Hand protection/ Other)

Gloves (PVC, Neoprene, or Natural rubber).



Respiratory protection

Not normally required.



Thermal hazards

Not normally required.

Environmental Exposure Controls

Do not allow to enter drains, sewers or watercourses.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Appearance	Liquid
Color.	White
Odor	Odourless
Odor Threshold (ppm)	Not available
pH (Value)	8.59
Melting Point/Freezing Point (°C)	Not available
Boiling point/boiling range (°C)	>100
Flash Point (°C)	>93.33 Non-flammable.
Evaporation Rate	Not available
Flammability (solid, gas)	Not applicable
Explosive Limit Ranges	Not applicable
Vapour Pressure (mmHg)	1.5×10^{-8} @ 25 °C
Vapour Density (Air=1)	Not available
Density (g/ml)	Not available
Specific Gravity	1.39 (Bulk Density)
Solubility (Water)	6.2 mg/l @ 22 °C
Solubility (Other)	Not available
Partition Coefficient (n-Octanol/water)	Not available
Auto Ignition Point (°C)	Not available
Decomposition Temperature (°C)	Not available
Kinematic Viscosity (cSt)	Not available

Sim-Trol® 4L Simazine Flowable Herbicide

Explosive properties
Oxidizing properties
Other information

Not explosive
Not available
Not available

SECTION 10: STABILITY AND REACTIVITY

Reactivity	Stable under normal conditions.
Chemical stability	Stable.
Possibility of hazardous reactions	None anticipated.
Conditions to avoid	Avoid contact with heat and ignition sources. Extremely high or low temperatures.
Incompatible materials	Strong oxidizing agents. Strong acids / bases.
Hazardous decomposition product(s)	Combustion or thermal decomposition will evolve toxic and irritant vapours: acrid smoke. Forms oxides of carbon and nitrogen, also chlorine and chlorinated compounds.

SECTION 11: TOXICOLOGICAL INFORMATION

Exposure routes: Skin Contact, Eye Contact

Information on toxicological effects

Acute toxicity	Oral: LD50 >2000 mg/kg-bw (rat); Causes damage to organs: neuroendocrine system Dermal: LD50 >2000 mg/kg-bw (rat) Inhalation: LC50 >1.71 mg/L (rat)
Irritation/Corrosivity	Causes serious eye irritation. Causes skin irritation.
Sensitization	Not to be expected.
Repeated dose toxicity	Causes damage to organs through prolonged or repeated exposure: neuroendocrine system. NOEL = 1.8 mg/kg-bw/day (rat)
Carcinogenicity	Not to be expected.

NTP	IARC	ACGIH	OSHA
No.	No.	No.	No.

Mutagenicity	Not to be expected.
Reproductive toxicity	May damage fertility or the unborn child. NOEL = 6.25 mg/kg/day

SECTION 12: ECOLOGICAL INFORMATION

Ecotoxicity

Simazine (CAS#122-34-9):

Short term	LC50 (96 hour): >10 mg/l (Oncorhynchus mykiss) LC50 (96 hour): 3.5 – 7.15 mg/l (Pimephales promelas) EC50 (48 hour): 0.056 – 2.2 mg/L (Daphnia magna) ErC50 (3 day): 0.9 mg/l (Chlamydomonas geitleri)
Long Term	Very toxic to aquatic life with long lasting effects.
Persistence and degradability	Persistent
Bioaccumulative potential	The product has low potential for bioaccumulation.
Mobility in soil	The product has high mobility in soil.
Results of PBT and vPvB assessment	Not available.
Other adverse effects	None known.

Sim-Trol® 4L Simazine Flowable Herbicide

SECTION 13: DISPOSAL CONSIDERATIONS

Waste treatment methods

Disposal should be in accordance with local, state or national legislation. Consult an accredited waste disposal contractor or the local authority for advice.

Additional Information

None known.

SECTION 14: TRANSPORT INFORMATION

	Land transport (U.S. DOT) *	Sea transport (IMDG)	Air transport (ICAO/IATA)
UN number	UN 3082	UN 3082	UN 3082
Proper Shipping Name	Environmentally hazardous substance, liquid, n.o.s. (Simazine)		
Transport hazard class(es)	9	9	9
Packing group	III	III	III
Hazard label(s)	Marine Pollutant	Marine Pollutant	Marine Pollutant
Environmental hazards	Yes	Yes	Yes
Special precautions for user	None Assigned	None Assigned	None Assigned

Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code: Not applicable

* Not regulated for ground shipments in the U.S. in non-bulk packaging (<119 gallons).

SECTION 15: REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture:

TSCA (Toxic Substance Control Act) - Inventory Status: All components listed or polymer exempt.

EPA FIFRA Information for SDS Section 15 (Regulatory Information):

This chemical is a pesticide product registered by the United States Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets (SDS), and for workplace labels of non pesticide chemicals.

The hazard information required on the pesticide label is reproduced below:

CAUTION

Harmful if swallowed or if inhaled, or if absorbed through skin.
Avoid contact with skin, eyes or clothing.
Do not breathe mist/vapours/spray.

The pesticide label also includes other important information, including directions for use.

Designated Hazardous Substances and Reportable Quantities (40 CFR 302.4):

Chemical Name	CAS No.	Typical %wt.	RQ (Pounds)
Ethylene glycol	107-21-1	< 5	5000

SARA 311/312 - Hazard Categories:

☐ Fire ☐ Sudden Release ☐ Reactivity ☒ Immediate (acute) ☒ Chronic (delayed)

SARA 313 - Toxic Chemicals (40 CFR 372):

Chemical Name	CAS No.	Typical %wt.
Simazine	122-34-9	~ 42.8
Ethylene glycol	107-21-1	< 5



Sim-Trol® 4L Simazine Flowable Herbicide

SARA 302 - Extremely Hazardous Substances(40 CFR 355):

Chemical Name	CAS No.	Typical %wt.	RQ (Pounds)	TPQ (Pounds)
None	-----	-----	-----	-----

Proposition 65 (California):

Chemical Name	CAS No.	Typical %wt.	Hazards
None	-----	-----	-----

SECTION 16: OTHER INFORMATION

The following sections contain revisions or new statements: 1 - 16.

Date of preparation: November 9, 2015

Hazard Statement(s) and Risk Phrases Listed in: SECTION 2:/ SECTION 3:

Hazard Statement(s)

- H315: Causes skin irritation.
- H319: Causes serious eye irritation.
- H360: May damage fertility or the unborn child.
- H370: Causes damage to organs.
- H372: Causes damage to organs through prolonged or repeated exposure.
- H400: Very toxic to aquatic life.
- H410: Very toxic to aquatic life with long lasting effects.

Information contained in this publication or as otherwise supplied to Users is believed to be accurate and is given in good faith, but it is for the Users to satisfy themselves of the suitability of the product for their own particular purpose. Sipcam Agro USA, Inc. gives no warranty as to the fitness of the product for any particular purpose and any implied warranty or condition (statutory or otherwise) is excluded except to the extent that exclusion is prevented by law. Sipcam Agro USA, Inc. accepts no liability for loss or damage (other than that arising from death or personal injury caused by defective product, if proved), resulting from reliance on this information. Freedom under Patents, Copyright and Designs cannot be assumed.