



FIFRA §2(ee) RECOMMENDATION

For Suppression of Aerial Stem Rot and Potato Blackleg (bacteria) on Potatoes

FIFRA Section 2(ee) recommendation for use in COLORADO, IDAHO, INDIANA, MAINE, MICHIGAN, MINNESOTA, NEBRASKA, NORTH DAKOTA, OREGON, WASHINGTON and WISCONSIN

Mastercop®

EPA Reg. No. 55272-18-66222

FIFRA Section 2 (ee) Recommendation: This recommendation is made as permitted under FIFRA Section 2 (ee) and has not been submitted to or accepted by the U.S. Environmental Protection Agency.

DIRECTIONS FOR USE

- It is a violation of Federal law to use this product inconsistent with its labeling.
- This product bulletin must be in the possession of the user at the time of pesticide application.
- Read the "Limitation of Warranty and Liability" in the label booklet for MASTERCOP before using.
- Follow all applicable directions, restrictions, Worker Protection Standard requirements, and precautions on the EPA registered label.

For Potato

Crop	Pests (2)	Pints per acre	Remarks
Potato	Aerial stem rot and Potato blackleg (bacterial - <i>Pectobacterium</i> spp., <i>Dickeya</i> spp.) - Suppression	Foliar applications 0.75-1.5	Apply by ground or air at 7-10 day intervals starting when plants are 2-6 inches tall.
<p>Potato Restrictions:</p> <p>Thorough spray coverage of plant foliage is essential for optimum control. Apply with enough water to ensure good coverage; use a minimum of 5 gallons/A when applied by air and a minimum of 10 gallons/A when applied by ground.</p> <p>Do not apply more than 1.5 pints/A per application. Do not exceed a total of 22.0 pints/A per crop per season. Allow a minimum of 5 days between applications</p>			

Mastercop is a registered trademark of ADAMA

Makhteshim Agan of North America, Inc., d/b/a ADAMA
3120 Highwoods Blvd, Suite 100, Raleigh NC 27604
T: 866.406.6262 F: 919.256.9308

