Brandt[®] Herbicide Activator

Spreader • Activator • Penetrant

Principal Functioning Agents:	
Paraffinic petroleum oil	80%
Alcohol ethoxylate	20%
Total	100%

CA Reg. No. 48813-50020-AA

KEEP OUT OF REACH OF CHILDREN



PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

WARNING: Causes serious eve irritation. Causes skin irritation. Harmful if inhaled, Wear protective evewear, long sleeved shirt, long pants, shoes plus socks and chemical resistant gloves made of any waterproof material when mixing or handling concentrate. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet. Remove and wash contaminated clothing before reuse. Avoid breathing vapors. Use only outdoors or in a well-ventilated area.

ENVIRONMENTAL HAZARDS

Do not contaminate water when cleaning equipment or disposing of equipment washwaters.

FIRST AID

Have the product container or label with you when calling a poison control center or doctor or going for treatment.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists, get medical attention.

IF ON SKIN: Wash with plenty of water. If skin irritation occurs, get medical attention.

IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a poison control center or doctor if you feel unwell.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal. **STORAGE:** Store in original container away from children. animals, foods, feeds, seeds and incompatible materials. Keep away from direct sunlight and heat sources. Handle in accordance with Precautionary Statements. In the event of spillage or leakage, soak up the material with absorbent clay, sand, sawdust or other absorbent material. Scrape up and dispose in accordance with Product Disposal. PRODUCT DISPOSAL: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility. CONTAINER DISPOSAL: Triple rinse (or equivalent) during mixing and loading. Recycling decontaminated containers is the best option of container disposal. The Agricultural Container Recycling Council (ACRC) operates the national recycling program. To contact your state or local ACRC recycler, visit the ACRC web page at www.acrecvcle.org. Decontaminated containers may also be disposed of in a sanitary landfill.



Manufactured by: Brandt Consolidated, Inc. 2935 South Koke Mill Road Springfield, Illinois 62711 USA www.brandt.co 800 300 6559

Brandt Herbicide Activator

DIRECTIONS FOR USE

BRANDT HERBICIDE ACTIVATOR is a blend of nonionic surfactant and oil formulated to give fast wetting and improved foliage penetration without causing premature desiccation. There will be no excessive foaming created in the spray mixtures and no corrosive effect in equipment. This product may be used on agricultural, forestry, turf and ornamental, industrial and non-cropland sites.

Read and follow the precautions, restrictions and recommendations on the labels of pesticides used with BRANDT HERBICIDE ACTIVATOR. Use according to the most restrictive label directions for each product in any tank mix.

COMPATIBILITY: BRANDT HERBICIDE ACTIVATOR is most beneficial with emulsion formulations of organic compounds, and is compatible with most types of herbicides, defoliants and desiccants. However, if the desired combination has not been previously used, a compatibility test is recommended. Avoid use with selective herbicides where the selectivity depends on not wetting the primary crop.

MIXING: Shake well before using. Fill spray tank ½ full of water and begin agitation. Add the recommended amount of BRANDT HERBICIDE ACTIVATOR. Add products as directed by label or in the following sequence and continue filling tank: (1) Dry flowables

or water dispersing granules, (2) Wettable powders, (3) Flowables, (4) Solutions, (5) Emulsifiable concentrates. Continue agitation until spray solution is completely mixed. Continuous agitation of finished spray is recommended. If spray solution has been allowed to stand, thoroughly agitate and remix before application.

RECOMMENDATIONS: Specific use rates will vary with conditions of application such as water hardness, application method, equipment, spray droplet size, condition of foliage, etc. Also, higher rates than those below may be used if recommended by pesticide labeling. Follow pesticide label directions. However, do not add this product at a rate which exceeds 5% of the finished spray volume, except when used as a diluent for basal bark applications of herbicides.

AIR or GROUND: Use 8-32 fl.oz. per 100 gallons of finished spray solution. For improved efficacy, use at least 1 pint per acre when finished spray volume is less than 20 gallons per acre. For backpack or hand held sprayers, use 1 fl. oz. per gallon of finished spray solution.

WARRANTY: Seller warrants that the product conforms to its chemical description and is reasonably fit for the purpose stated on the label when used in accordance with directions under normal conditions of use; but neither this warranty nor any other warranty of merchantability or fitness of a particular product expressed or implied, extends to the use of this product contrary to label conditions, or under conditions not reasonably foreseeable to the seller; and buyer assumes the risk of any such use.