

# FIFRA Section 24(c) Special Local Need (SLN) Label



Dow AgroSciences

Dow AgroSciences LLC

9330 Zionsville Road

Indianapolis, IN 46268-1054 USA

## Starane® Ultra

EPA Reg. No. 62719-577

24(c) Special Local Need Registration EPA SLN No. WA-080008  
(For Distribution and Use Only in the State of Washington)

### Control of Kochia, Volunteer Potatoes, and Other Susceptible Broadleaf Weeds in Dry Bulb Onions

This label for Starane Ultra expires and must not be distributed or used in accordance with this SLN registration after December 31, 2020

Use of Starane® Ultra herbicide on onions may result in crop injury, crop yield reduction and/or crop loss. Read and understand the "Conditions and Risks of Use for Special Local Need" section of this label before using this product in accordance with this FIFRA Section 24(c) Special Local Need label.

- It is a violation of Federal law to use this product in a manner inconsistent with its labeling.
- This labeling must be in the possession of the user at the time of application.
- Read the label affixed to the container for Starane® Ultra herbicide before applying. Carefully follow all applicable directions, restrictions, PPE requirements, precautions, and Worker Protection Standard requirements on the label affixed to the container.
- In addition to restrictions and limitations imposed by this supplemental labeling, use of this product according to this supplemental labeling is subject to all use precautions and limitations imposed by the label affixed to the container.

### Directions for Use

Starane® Ultra herbicide may be applied for postemergence control of kochia, volunteer potatoes, and other susceptible broadleaf weeds in onions using ground or aerial application equipment. Refer to the product label for Starane Ultra for a complete list of weeds controlled. Follow all mixing and application instructions in the General Information section of the product label for Starane Ultra.

Use sufficient spray volume to achieve thorough coverage. See package label for use directions and restrictions for ground applications.

**Rate and Application Timing:** Apply 0.35 pint/acre Starane Ultra as a broadcast postemergence treatment. Volunteer potatoes, kochia, and other susceptible target weeds should be from 4 to 8 inches tall for optimum control.

Broadcast (over-the-top) application may be made to onions from the 2 true leaf stage through the 6-leaf stage. Do not apply as a broadcast over-the-top spray after the 6-leaf stage of growth. Application to onions beyond the 6-leaf stage should be made as a directed spray using drop nozzles (see crop injury warning below). Tank mix combinations with other herbicides registered for use in onions may result in unacceptable crop injury. Adjuvants are not recommended with Starane Ultra applications in onions.

**Frequency of Applications:** To control heavy populations or successive flushes of kochia, volunteer potatoes, or other susceptible broadleaf weeds, two postemergence applications can be made on a 10- to 14-day re-treatment interval. Do not make more than two applications per season.

**Restrictions and Precautions:**

- Do not allow livestock to graze treated areas or harvest treated forage within 7 days of application.
- **Preharvest Interval:** Do not apply within 42 days of onion harvest.
- Do not make more than 2 applications per season.
- **Plant-Back Restriction:** Plant only labeled crops within 120 days of application.
- For use under this SLN label do not apply through any type of irrigation system.
- Do not apply this product when furrow irrigation is running. Treated fields should be managed to avoid water runoff for at least 6 hours after application.
- Do not enter or allow worker entry into treated areas during the restricted entry interval (REI) of 24 hours.
- **Maximum Application Rate:** Do not apply more than 0.7 pint of Starane Ultra per acre per year
- **Crop Injury Warning:** Crop injury (such as but not limited to leaf twisting) may occur with some onion cultivars when Starane Ultra is applied as a broadcast treatment, especially when applications are made to larger onions. Do not use Starane Ultra if the risk of injury is unacceptable.
- **WSDA Aquatic Advisory:** This product is toxic to fish. Starane Ultra should not be used under this SLN label where impact on listed threatened or endangered species is likely. You may refer to the Washington State Department of Agriculture Endangered Species web site at <http://agr.wa.gov/PestFert/NatResources/EndangSpecies.aspx>, or contact the Washington Department of Fish & Wildlife, National Marine Fisheries Service (NOAA Fisheries) or US Fish & Wildlife Service for information regarding aquatic species listed as threatened or endangered. Consult the federal label for additional restrictions and precautions to protect aquatic organisms.

**Washington State Department of Agriculture (WSDA) Container Disposal Guidance:** Pesticide containers must be properly cleaned prior to disposal. The best time to clean empty pesticide containers is during mixing and loading, because residue can be difficult to remove after it dries. Triple rinse (or pressure rinse) the pesticide container, empty all pesticide rinse water into the spray tank, and apply to a labeled crop or site. Recycling cleaned containers is the best method of container disposal. Information regarding the recycling of empty and cleaned plastic pesticide containers in Washington is available on the WSDA Waste Pesticide Program web site at <http://agr.wa.gov/PestFert/Pesticides/WastePesticide.aspx>. Cleaned containers may also be disposed of in a sanitary landfill, if permitted by the county. Burning is not a legal method of container disposal in Washington.

**Conditions and Risks of Use for Special Local Need**

**USE OF Starane® Ultra HERBICIDE (THE “PRODUCT”) ON ONIONS (THE “CROP”) FOR THIS SPECIAL LOCAL NEED MAY RESULT IN CROP INJURY, CROP YIELD REDUCTION AND/OR CROP LOSS AS FURTHER DISCUSSED BELOW. READ AND UNDERSTAND THESE CONDITIONS AND RISKS OF USE FOR SPECIAL LOCAL NEED BEFORE USING THE PRODUCT ON THE CROP.**

**This Product is available for use in the manner described in this Supplemental Labeling on the basis that, in the sole opinion of the user, the benefits and utility derived from the use of the Product on the Crop outweigh the potential risk of Crop injury, Crop yield reduction or Crop loss. The decision to use this Product in the manner described in this Supplemental Labeling must be made by each individual user on the basis of anticipated benefits versus (i) the potential risk of Crop injury, Crop yield reduction and Crop loss, (ii) the severity of the target pest infestation, (iii) the cost and availability of alternative pest controls and (iv) any other relevant factors.**

**By purchasing the Product for use, or using the Product, in the manner described in this Supplemental Labeling, you acknowledge and accept that to the extent permitted by law:**

- (1) you assume all risk of Crop injury, Crop yield reduction and Crop loss;
- (2) Dow AgroSciences does not make, and do not authorize any agent or representative to make, any representations or recommendations regarding the use of this Product on the Crop other than the statements on this Supplemental labeling;
- (3) Dow AgroSciences does not make, and do not authorize any agent or representative to make, any warranties, express or implied, with respect to the use of the Product on the Crop and disclaim all warranties, expressed or implied, including any implied warranty of merchantability;
- (4) Dow AgroSciences disclaims all liability for any damages, losses, expenses, claims or causes of actions arising out of or relating to Crop injury, Crop yield reduction and/or Crop loss;
- (5) these Conditions and Risks of Use for Special Local Need supersede any contrary representations or recommendations by Dow AgroSciences, or its respective agents or representatives, and any provisions in or on any Product literature or labeling including any provisions on the label affixed to the Product container.

**If these Conditions and Risks of Use for Special Local Need are not acceptable, the unopened Product may be returned to the seller for a refund or used for a different labeled use in accordance with the label affixed to the Product container.**

**These Conditions and Risks of Use for Special Local Need are required by Dow AgroSciences and not specified by the US EPA or the State of Washington.**

®Trademark of The Dow Chemical Company ("Dow") or an affiliated company of Dow  
R357-033  
Accepted Date: 10/13/15  
Replaces R357-029