Product Label





Deposition Aid

Drift Management Agent

Principal Functioning Agents

Modified Vegetable Oil, Amine Salts of Organic Acids and Organic Acid

100 %

All ingredients are exempt from tolerance as specified in 40 CFR 180.1001

CAUTION

KEEP OUT OF REACH OF CHILDREN
Read entire label for additional Precautionary Statements.

Manufactured By:



Greenville, North Carolina

Drift-X DRT is specially formulated as a deposition and drift management agent that reduces the number of spray droplet fines less than 100 microns and increases the VMD (Volume Median Diameter) of spray droplets. **Drift-X DRT** generates a more uniform droplet size spectrum resulting in enhanced on-target deposition and coverage of the spray. **Drift-X DRT** is for use with most fungicides, herbicides, and insecticides that are labeled for use in agriculture, forestry, golf course, industrial, non-crop, turf, and ornamental. **Drift-X DRT** does not replace the need for additional adjuvants/surfactants in the spray tank.

PRECAUTIONARY STATEMENTS / HAZARDS TO HUMANS/ DOMESTIC ANIMALS

CAUTION: KEEP OUT OF REACH OF CHILDREN. Harmful if swallowed or inhaled. Can cause skin, mucous membrane and eye irritation. Avoid contact with eyes, skin or clothing. Avoid breathing vapors or spray mists. Use only with adequate ventilation. Wash thoroughly after handling. Remove and wash contaminated clothing before reuse.

Do not apply this product in a manner as to directly or through drift expose workers or other persons. Always read and follow product labeling.

STATEMENT OF PRACTICAL TREATMENT/FIRST AID

If in eyes:	Hold eyelid open and rinse slowly and gently with water for 15-20 minutes
	 Remove contact lenses, if present, after first 5 minutes, then continue
	rinsing eye
	Call a poison control center or doctor for treatment advice
If on skin or	Take off contaminated clothing
clothing:	Rinse skin immediately with planty of water for 15-20 minutes
	Call a poison control center or doctor fror further treatment advice
If	Call a poison control center or doctor immediately for treatment advice
swallowed:	Have person sip a glass of water if able to swallow
	 Do not induce vomiting unless told to do so by poison control center or
	doctor
	Do not give anything by mouth to an unconscious person
If inhaled:	Move person to freash air
	 If person is not breathing call 911, then give artificial respiration,
	preferably mouth-to-mouth if possible
	Call a poison control center or doctor for further treatment advice
Note: Have product container/labeling with you when calling a poison control center or	
doctor or going for treatment	

NOTE: If contact is made with the spray solution containing pesticides, follow the "First Aid" statement on the pesticide label.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal. Do not contaminate water by runoff from equipment wash waters or spray materials.

Product Storage: Store in original container only. Keep container tightly closed and do not allow water to be introduced into the contents of this container. Keep from freezing. If damaged or leaking, soak up with absorbent material and place in suitable container for disposal. Transfer remaining product to suitable container for storage and label.

Product Disposal: Improper disposal of excess spray mixtures or rinsate is a violation of Federal Law. Wastes resulting from use of this product may be disposed of through onsite spray application or at an approved waste disposal facility.

Container Handling: Do not reuse empty container. Triple rinse (or equivalent) and add rinsate to spray tank, then offer for recycling, or puncture and dispose of in a sanitary landfill. Decontaminated containers may be disposed of in a sanitary landfill. Recycling decontaminated containers is the best option of container disposal. The Agricultural Container Recycling Council (ACRC) operates the Natinal Recycling Program. To contact your state and local ACRC recycler visit the ACRC web page at www.acrecycle.org.

AGRICULTURAL USE REQUIREMENTS AND USER SAFETY RECOMMENDATIONS

When used in conjunction with pesticides, consult pesticide manufacturer's label for worker protection recommendations. Use of waterproof gloves and protective eyewear is recommended when handling this product.

DIRECTIONS FOR USE

Use 4 – 6 fluid ounces of Drift-X DRT per acre.

Drift-X DRT must be added to the spray tank last.

When water conditioning products are used, always add the water conditioning product as the first product in the spray mixture. Add any additional adjuvants to the spray tank before adding Drift-X DRT.

Proper nozzle selection and operation (pressure and spray angle) combined with good operator evaluation and decision making on wind direction, temperature inversions, application speed and susceptible crops in the area combined with Drift-X DRT are necessary for maximum drift reduction potential. Always use good operating procedures to minimize drift potential.

Actual use rate may be increased or decreased within the specified rate range to achieve optimum results.

Always read and follow label directions.

SHAKE WELL BEFORE USE KEEP FROM FREEZING

NOTICE: Seller warrants that this product conforms to its chemical description and is reasonably fit for the purpose stated on the label when used in accordance with the directions contained on this label under normal conditions of use, but neither this warranty nor any other warranty of merchantability or fitness for a particular purpose, express or implied, extends to the use, storage or handling of this product contrary to label instructions, or under abnormal conditions, or under conditions not reasonably foreseeable to seller, and buyer assumes the risk of any such use. These risks include, but are not limited to damage to plants, crops, and animals to which the material is applied, failure to control pests, damage caused by drift to other plants or crops, and personal injury.