

1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

Product Name: Nufarm Fluroxypyr Selective Herbicide
EPA Reg. No.: 71368-87
Synonyms: Fluroxypyr, 1-Methylheptyl Ester, Fluroxypyr MHE
Product Type: Herbicide

Company Name: Nufarm, Inc.
150 Harvester Drive, Suite 200
Burr Ridge, IL 60527

Telephone Numbers: For Chemical Emergency, Spill, Leak, Fire, Exposure, or Accident,
Call CHEMTREC Day or Night: 1-800-424-9300
For Medical Emergencies Only, Call 1-877-325-1840

Date of Issue: January 23, 2009 **Supersedes:** New
Sections Revised: New

2. HAZARDS IDENTIFICATION**Emergency Overview:**

Appearance and Odor: Clear, amber colored liquid with an aromatic odor.

Warning Statements: Warning. Keep out of reach of children. Causes substantial but temporary eye injury. Harmful if swallowed or absorbed through the skin. Do not get in eyes or on clothing. Avoid contact with skin. Combustible; flash point 151°F (68°C).

Potential Health Effects:

Likely Routes of Exposure: Inhalation, eye and skin contact.

Eye Contact: Causes substantial but temporary eye injury. Vapors and mist may cause irritation.

Skin Contact: Moderately irritating based on toxicity studies.

Ingestion: May be harmful if swallowed. The petroleum hydrocarbon component, if aspirated into the respiratory system during ingestion or vomiting may cause mild or severe pulmonary injury, possibly progressing to death.

Inhalation: Low inhalation toxicity. Overexposure to petroleum hydrocarbon component may cause irritation to respiratory tract, headaches, anaesthesia, drowsiness, unconsciousness and other central nervous system effects, possibly including death.

Medical Conditions Aggravated by Exposure: Inhalation of product may aggravate existing chronic respiratory problems such as asthma, emphysema or bronchitis. Skin contact may aggravate existing skin disease.

See Section 11: TOXICOLOGICAL INFORMATION for more information.

Potential Environmental Effects:

This product is toxic to fish. Drift or runoff from treated areas may be hazardous to aquatic organisms and non-target plants.

See Section 12: ECOLOGICAL INFORMATION for more information.

3. COMPOSITION / INFORMATION ON INGREDIENTS

COMPONENT	CAS NO.	% BY WEIGHT
Fluroxypyr, 1-Methylheptyl Ester	81406-37-3	26.2
Other Ingredients Including:		73.8
Petroleum Hydrocarbon (may contain)		
Naphthalene	91-20-3	
N Methyl Pyrrolidone	872-50-4	

4. FIRST AID MEASURES

If in Eyes: Hold eye open and rinse slowly and gently with water for 15 to 20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

If on Skin: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15 to 20 minutes. Call a poison control center or doctor for treatment advice.

If Swallowed: Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person.

If Inhaled: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advice.

Note to Physician: May pose an aspiration pneumonia hazard. Probable mucosal damage may contraindicate the use of gastric lavage.

5. FIRE FIGHTING MEASURES

Flash Point: 151°F (68°C) Pensky-Martens

Autoignition Temperature: Not determined

Flammability Limits: Not determined

Extinguishing Media: Recommended for large fires: foam or water spray. Recommended for small fires: dry chemical or carbon dioxide.

Special Fire Fighting Procedures: Firefighters should wear NIOSH/MSHA approved self-contained breathing apparatus and full fire-fighting turn out gear. Dike area to prevent runoff and contamination of water sources. Dispose of fire control water later.

Unusual Fire and Explosion Hazards: Combustible liquid. Can release vapors that form explosive mixtures at temperatures at or above the flash point. Containers will burst from internal pressure under extreme fire conditions. If water is used to fight fire or cool containers, dike to prevent runoff contamination of municipal sewers and waterways.

Hazardous Decomposition Materials (Under Fire Conditions): May produce gases such as hydrogen chloride, hydrogen fluoride and oxides and nitrogen.

National Fire Protection Association (NFPA) Hazard Rating:

Rating for this product: Health: Flammability: 2 Reactivity: 0

Hazards Scale: 0 = Minimal 1 = Slight 2 = Moderate 3 = Serious 4 = Severe

6. ACCIDENTAL RELEASE MEASURES

Personal Precautions: Wear appropriate protective gear for the situation. See Personal Protection information in Section 8.

Environmental Precautions: Prevent material from entering public sewer systems or any waterways. Do not flush to drain. Large spills to soil or similar surfaces may necessitate removal of topsoil. The affected area should be removed and placed in an appropriate container for disposal.

Methods for Containment: Dike spill using absorbent or impervious materials such as earth, sand or clay. Collect and contain contaminated absorbent and dike material for disposal.

Methods for Cleanup and Disposal: Pump any free liquid into an appropriate closed container. Collect washings for disposal. Decontaminate tools and equipment following cleanup. See Section 13: DISPOSAL CONSIDERATIONS for more information.

Other Information: Large spills may be reportable to the National Response Center (800-424-8802) and to state and/or local agencies.

7. HANDLING AND STORAGE

Handling:

Do not get in eyes or on clothing. Avoid contact with skin. Users should wash hands before eating, drinking, chewing gum, using tobacco, or using the toilet. Remove clothing/Personal Protective Equipment (PPE) immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing. If pesticide gets on skin, wash immediately with soap and water. Remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

Storage:

Store above 10°F or warm and agitate before use. Do not contaminate water, food or feed by storage or disposal.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Engineering Controls:

Where engineering controls are indicated by specific use conditions or a potential for excessive exposure, use local exhaust ventilation at the point of generation.

Personal Protective Equipment:

Eye/Face Protection: To avoid contact with eyes, wear face shield, goggles or safety glasses with front, brow and temple protection. An emergency eyewash or water supply should be readily accessible to the work area.

Skin Protection: To avoid contact with skin, wear long pants, long-sleeved shirt, socks, shoes and chemical-resistant gloves such as barrier laminate or Viton. An emergency shower or water supply should be readily accessible to the work area.

Respiratory Protection: Not normally required. If vapors or mists exceed acceptable levels, wear NIOSH approved air-purifying respirator with cartridges/canisters approved for use against pesticides.

General Hygiene Considerations: Personal hygiene is an important work practice exposure control measure and the following general measures should be taken when working with or handling this material: 1) do not store, use and/or consume foods, beverages, tobacco products, or cosmetics in areas where this material is stored; 2) wash hands and face carefully before eating, drinking, using tobacco, applying cosmetics or using the toilet.

Exposure Guidelines:

Component	OSHA		ACGIH		Unit
	TWA	STEL	TWA	STEL	
Fluroxypyr	NE	NE	NE	NE	
Naphthalene	10	NE	10 (Skin)	15 (Skin)	ppm
N-Methyl-2-pyrrolidinone	NE	NE	NE	NE	

NE = Not Established

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance and Odor: Clear, amber colored liquid with an aromatic odor.

Boiling Point:	Not determined	Solubility in Water:	Emulsifiable
Density:	8.3 pounds/gallon	Specific Gravity:	1.004 @ 20°C
Evaporation Rate:	Not determined	Vapor Density:	Not determined
Freezing Point:	Not determined	Vapor Pressure:	Not determined
pH:	4 -5 (1% solution)	Viscosity:	5.785 cst @ 20°C

Note: Physical data are typical values, but may vary from sample to sample. A typical value should not be construed as a guaranteed analysis or as a specification.

10. STABILITY AND REACTIVITY

Chemical Stability: This material is stable under normal handling and storage conditions.

Conditions to Avoid: Avoid temperatures near or above flash point 151°F (68°C).

Incompatible Materials: Strong oxidizing agents: bases and acids.

Hazardous Decomposition Products: Under fire conditions may produce gases such as hydrogen chloride, hydrogen fluoride and oxides and nitrogen.

Hazardous Reactions: Hazardous polymerization will not occur.

11. TOXICOLOGICAL INFORMATION**Toxicological Data:**

Data from laboratory studies conducted on a similar, but not identical, formulation:

Oral: Rat LD₅₀: 3,450 mg/kg

Dermal: Rat LD₅₀: >2,000 mg/kg

Inhalation: Rat 4-hr LC₅₀: >6.2 mg/L

Eye Irritation: Rabbit: Severely irritating

Skin Irritation: Rabbit: Moderately irritating

Skin Sensitization: Not a contact sensitizer in guinea pigs following repeated skin exposure.

Subchronic (Target Organ) Effects: Repeated overexposure to Fluroxypyr may cause effects to bone marrow, kidney, liver and respiratory tract. Repeated overexposure to N-Methyl 2-pyrrolidinone (NMP) may cause effects to eyes, skin, respiratory system, central nervous system, liver and kidneys.

Carcinogenicity / Chronic Health Effects: Fluroxypyr did not cause cancer in laboratory animals. The hydrocarbon component may contain naphthalene, which is listed by IARC as a class 2B and the U.S. National Toxicology Program as reasonably anticipated to be a human carcinogen. No increase in tumors was seen in rats via dietary or inhalation exposure to NMP for two years; however, an increase in liver tumors was noted in mice receiving high dietary doses over a similar period. Liver tumors are not uncommon when non-genotoxic chemicals such as NMP are tested in the mouse bioassay.

Reproductive Toxicity: In animal studies, fluroxypyr has been shown not to interfere with reproduction. NMP may adversely affect reproduction in rats after ingestion, although fertility is unaltered.

Developmental Toxicity: Fluroxypyr did not cause birth defects in animals; other effects were seen in the fetus only at doses which caused toxic effects in the mother. Fetal developmental effects were observed following ingestion, inhalation and dermal exposures to NMP in pregnant animals, and occurred both in the presence and absence of maternal toxicity.

Genotoxicity: Animal tests with fluroxypyr did not demonstrate mutagenic effects. Neither *in vitro* nor *in vivo* tests on NMP demonstrated mutagenic effects.

Assessment Carcinogenicity:

This product contains substances that are considered to be probable or suspected human carcinogens as follows:

Component	Regulatory Agency Listing As Carcinogen			
	ACGIH	IARC	NTP	OSHA
Naphthalene	No	2B	Yes*	No

*Reasonably anticipated to be a human carcinogen

See Section 2: HAZARDS IDENTIFICATION for more information.

12. ECOLOGICAL INFORMATION

Ecotoxicity:

Data on Fluroxypyr 1-Methylheptyl Ester:

Fluroxypyr 1-Methylheptyl Ester is highly toxic to aquatic invertebrates on an acute basis (LC₅₀ or EC₅₀ is between 0.1 and 1 mg/L). Concentrations for fish were not determined because they exceed water solubility. Fluroxypyr 1-Methylheptyl Ester is highly insoluble in water. Fluroxypyr 1-Methylheptyl Ester is practically non-toxic to birds on an acute and dietary basis (LD₅₀ >2,000 mg/kg and LC₅₀ >5,000 ppm).

Environmental Fate:

In laboratory and field studies, Fluroxypyr 1-Methylheptyl Ester rapidly de-esterified to parent acid in the environment. The typical soil half-life for fluroxypyr (acid and ester) ranged from one to four weeks. Microbial metabolism is the primary degradation mechanism in soil. The typical aquatic half-life ranged from 4 to 14 days.

13. DISPOSAL CONSIDERATIONS

Waste Disposal Method:

Pesticide wastes are toxic. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

Container Handling and Disposal:

Nonrefillable Containers 5 Gallons or Less: Nonrefillable container. Do not reuse or refill this container. Triple rinse container (or equivalent) promptly after emptying. **Triple rinse as follows:** Empty the remaining contents into application equipment or a mix tank and drain for 10 seconds after the flow begins to drip. Fill the container 1/4 full with water and recap. Shake for 10 seconds. Pour rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Drain for 10 seconds after the flow begins to drip. Repeat this procedure two more times. Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by State and local authorities. Plastic containers are also disposable by incineration, or, if allowed by State and local authorities, by burning. If burned stay out of smoke.

Nonrefillable containers larger than 5 gallons: Nonrefillable container. Do not reuse or refill this container. Offer for recycling if available. Triple rinse or pressure rinse container (or equivalent) promptly after emptying. **Triple rinse as follows:** Empty the remaining contents into application equipment or a mix tank. Fill the container 1/4 full with water. Replace and tighten closures. Tip container on its side and roll it back and forth, ensuring at least one complete revolution, for 30 seconds. Stand the container on its end and tip it back and forth several times. Turn the container over onto its other end and tip it back and forth several times. Empty the rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Repeat this procedure two more times. **Pressure rinse as follows:** Empty the remaining contents into application equipment or a mix tank and continue to drain for 10 seconds after the flow

begins to drip. Hold container upside down over application equipment or mix tank or collect rinsate for later use or disposal. Insert pressure rinsing nozzle in the side of the container, and rinse at about 40 psi for at least 30 seconds. Drain for 10 seconds after the flow begins to drip.

Refillable containers larger than 5 gallons: Refillable container. Refill this container with pesticide only. Do not reuse this container for any other purpose. Cleaning the container before final disposal is the responsibility of the person disposing of the container. Cleaning before refilling is the responsibility of the refiller. To clean the container before final disposal, empty the remaining contents from this container into application equipment or a mix tank. Fill the container about 10% full with water and, if possible, spray all sides while adding water. If practical, agitate vigorously or recirculate water with the pump for two minutes. Pour or pump rinsate into application equipment or rinsate collection system. Repeat this rinsing procedure two more times.

14. TRANSPORTATION INFORMATION

Follow the precautions indicated in Section 7: HANDLING AND STORAGE of this MSDS.

DOT

< 119 gallons per completed package

Non Regulated – See 49 CFR 173.132(b)(3) & 171.4(c) & 173.150 & 171.101 Appendix A

≥ 119 gallons and ≤ 200 gallons per completed package

NA 1993, COMBUSTIBLE LIQUID, NOS, (NAPHTHALENE), III, MARINE POLLUTANT,
(FLUROXYPYR 1-METHYLHEPTYL ESTER)

> 200 gallons per completed package

RQ, NA 1993, COMBUSTIBLE LIQUID, NOS, (NAPHTHALENE), III, MARINE POLLUTANT,
(FLUROXYPYR 1-METHYLHEPTYL ESTER)

IMDG

UN 3082, ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, NOS,
(FLUROXYPYR 1-METHYLHEPTYL ESTER), 9, III, MARINE POLLUTANT

IATA

Non Regulated - See IATA 3.6.1.5.3

15. REGULATORY INFORMATION

U.S. Federal Regulations:

TSCA Inventory: This product is exempted from TSCA because it is solely for FIFRA regulated use.

SARA Hazard Notification/Reporting:

Hazard Categories Under Criteria of SARA Title III Rules (40 CFR Part 370):

Immediate, Delayed and Fire

Section 313 Toxic Chemical(s):

Naphthalene (CAS No. 91-20-3), < 6.0% by weight in product

N-Methyl-2-pyrrolidinone (CAS No. 872-50-4), 5.0% by weight in product

Reportable Quantity (RQ) under U.S. CERCLA:

Naphthalene (CAS No. 91-20-3) 100 pounds

RCRA Waste Code:

Naphthalene (CAS No. 91-20-3) U165

State Information:

Other state regulations may apply. Check individual state requirements.

California Proposition 65: WARNING. This product contains chemicals known to the State of California to cause cancer or birth defects or other reproductive harm.

16. OTHER INFORMATION

This Material Safety Data Sheet (MSDS) serves different purposes than and DOES NOT REPLACE OR MODIFY THE EPA-ACCEPTED PRODUCT LABELING (attached to and accompanying the product container). This MSDS provides important health, safety and environmental information for employers, employees, emergency responders and others handling large quantities of the product in activities generally other than product use, while the labeling provides that information specifically for product use in the ordinary course.

Use, storage and disposal of pesticide products are regulated by the EPA under the authority of the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA) through the product labeling, and all necessary and appropriate precautionary, use, storage, and disposal information is set forth on that labeling. It is a violation of Federal law to use a pesticide product in any manner not prescribed on the EPA-accepted label.

Although the information and recommendations set forth herein (hereinafter "Information") are presented in good faith and believed to be correct as of the date hereof, Nufarm Americas Inc. makes no representations as to the completeness or accuracy thereof. Information is supplied upon the condition that the persons receiving same will make their own determination as to its suitability for their purposes prior to use. In no event will Nufarm Americas Inc. be responsible for damages of any nature whatsoever resulting from the use of or reliance upon Information. NO REPRESENTATIONS OR WARRANTIES, EITHER EXPRESS OR IMPLIED, OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE OR OF ANY OTHER NATURE ARE MADE HEREUNDER WITH RESPECT TO INFORMATION OR THE PRODUCT TO WHICH INFORMATION REFERS.

Comet is a trademark of Nufarm Americas Inc.