
SUPPLEMENTAL LABEL



Syngenta Crop Protection, Inc.
P.O. Box 18300
Greensboro, NC 27419-8300

Switch® 62.5WG
Fungicide

Broad spectrum fungicide for the control of certain diseases

Active Ingredients:

Cyprodinil (CAS No. 121552-61-2).....	37.5%
Fludioxonil (CAS No. 131341-86-1)	25.0%
Other Ingredients:.....	37.5%
Total:	100.0%

Switch 62.5WG is a water-dispersible granule.

EPA Reg. No. 100-953

KEEP OUT OF REACH OF CHILDREN.

CAUTION

All applicable directions, restrictions and precautions on the EPA-registered label are to be followed.

Before using Switch 62.5WG as permitted according to this supplemental label, read and follow all applicable directions, restrictions, and precautions on the EPA registered label on or attached to the pesticide product container. This Supplemental Labeling contains revised use instructions and or restrictions that may be different from those that appear on the container label. This Supplemental Labeling must be in the possession of the user at the time of pesticide application. It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

CROP USE DIRECTIONS

Crop	Disease	Rate oz./Acre	Remarks
Grapes	Botrytis (grey mold) (<i>B. cinerea</i>)	11-14	Begin applications of Switch at early bloom. Up to three additional applications may be made at berry touch, veraison, or preharvest. Botrytis Bunch Rot is most effectively controlled by ground application, using sufficient water volume to provide thorough coverage. Thorough coverage of bunches is essential. Do not apply closer than a 21-day interval.
	Sour rot (caused by a fungal complex)		For sour rot, make an application at veraison followed by 1-2 additional applications. Do not apply closer than a 21-day interval. Resistance Management: After 2 applications of Switch 62.5 WG, alternate with another fungicide with a different mode of action for 2 applications.

Specific Use Restrictions

- Application may be made by ground. Aerial application in California only. Make no more than one application by air. Use a minimum of 20 gallons/A spray volume by air. Make additional applications by ground up to the maximum allowable a.i./A per plot of land per year.
- Do not use an adjuvant.
- Do not apply more than 56 oz./A of Switch 62.5 WG per plot of land per year.
- Do not apply more than 1.4 lb. a.i./A of cyprodinil containing products and 0.9 lb. a.i./A of fludioxonil containing products per plot of land per year.
- Do not apply within 7 days of harvest.

Switch 62.5WG® and the Syngenta logo are trademarks of a Syngenta Group Company.

©2009 Syngenta

Syngenta Crop Protection, Inc.
P.O. Box 18300
Greensboro, North Carolina 27419-8300

SCP 953A-S6 0309

SWI 62.5WG 953A-S6 0309 - bb - 7-6-09